## Contents Volume 78, 1989

## Research Papers

| Comparison of several analytical methods for the determination of tin in geochemical samples as a function of tin  |      |
|--|------|
| speciation Jean S. Kane, J.R. Evans and J.C. Jackson (Reston, Va., U.S.A.)   | 1    |
| Geochemistry of recent volcanics of Ischia Island, Italy: Evidences for fractional crystallization and magma mixing G.M. Crisci, A.M. De Francesco, R. Mazzuoli (Castiglioni C. Scalo, Italy), G. Poli (Perugia, Italy) and D. |      |
| Stanzione (Napoli, Italy)  | 15   |
| Problems of crush-leach analyses of low-salinity inclusion-poor material A.B. Christie (Lower Hutt, New Zealand), R.L. Goguel (Petone, New Zealand) and B.W. Robinson (Lower Hutt,   |      |
| New Zealand)   | 35   |
| Geochemistry of some Ordovician and Devonian trilobite cuticles from North America   |      |
| J.E. McAllister (St. Catherines, Ont., Canada) and U. Brand (Hamilton, Ont., Canada)   | . 51 |
| The applicability of trace elements in freshwater shells for paleogeochemical studies  | 0.5  |
| Y. Rosenthal and A. Katz (Jerusalem, Israel)   | . 65 |
| Book Review  |      |
| Antarctica: Soils, Weathering Processes and Environment, by I.B. Campbell and G.G.C.   |      |
| Claridge - J. Malinowski   | . 77 |
| Other Publications Received  | . 80 |
| Research Papers  |      |
| Slab-mantle interactions, 1. Sheared and refertilised garnet peridotite xenoliths — samples of Wadati-Benioff zones?   |      |
| S.E. Kesson and A.E. Ringwood (Canberra, A.C.T., Australia)  | . 83 |
| Slab-mantle interactions, 2. The formation of diamonds   |      |
| S.E. Kesson and A.E. Ringwood (Canberra, A.C.T., Australia)  | 97   |
| Rare-earth element behaviour associated with strata-bound scheelite mineralisation (Broken Hill, Australia)  |      |
| B.G. Lottermoser (Newcastle, N.S.W., Australia)  | 119  |
| Geochemistry of the Proterozoic wolframite-bearing greisen veins and the associated granite at Rostberget, northern Sweden   |      |
| B. Öhlander (Luleå, Sweden), K. Billström (Stockholm, Sweden) and Elke Hålenius (Luleå, Sweden)  | 135  |
| The use of known Fe content as a flux monitor in neutron activation analysis   |      |
| B.W. Chappell and Janet M. Hergt (Canberra, A.C.T., Australia)   | 151  |
| Uptake of cadmium into calcite shells by planktonic foraminifera   |      |
| M.L. Delaney (Santa Cruz, Calif., U.S.A.)  | 159  |
| Special Issue "Kinetic Geochemistry" by J. Schott and A.C. Lasaga (Editors)  |      |
| Preface, by J. Schott and A.C. Lasaga (Editors)  | iii  |
| Redox processes catalyzed by hydrous oxide surfaces  |      |
| B. Wehrli, Barbara Sulzberger and W. Stumm (Dübendorf, Switzerland)  | 167  |

| Multisite surface reaction versus transport control during the hydrolysis of a complex oxide   | 101 |
|--|-----|
| C. Guy and J. Schott (Toulouse, France)  | 181 |
| The surface of labradorite feldspar after acid hydrolysis  |     |
| W.H. Casey, H.R. Westrich, T. Massis (Albuquerque, N.M., U.S.A.), Jillian F. Banfield (Baltimore, Md., U.S.A.) and G.W. Arnold (Albuquerque, N.M., U.S.A.) | 205 |
| Dissolution mechanisms of silicate minerals yielded by intercomparison with glasses and radiation damage studies   |     |
| JC. Petit (Fontenay-aux-Roses, France), JC. Dran (Orsay, France), G. Della Mea (Mesiano and Padova, Italy) and   |     |
| A. Paccagnella (Mesiano, Italy)  | 219 |
| Dissolution kinetics of experimentally shocked silicate minerals   |     |
| R.T. Cygan, W.H. Casey, M.B. Boslough, H.R. Westrich, M.J. Carr (Albuquerque, N.M., U.S.A.) and G.R. Holdren,  |     |
| Jr. (Corvallis, Oreg., U.S.A.)   | 229 |
| Effect of chemical affinity on feldspar hydrolysis rates in two natural weathering systems   |     |
| M.A. Velbel (East Lansing, Mich., U.S.A.)  | 245 |
| Behavior of trace elements during feldspar dissolution in near-equilibrium conditions: Preliminary investigation   |     |
| Hélène Pauwels, P. Zuddas and G. Michard (Paris, France)   | 255 |
| Comparative study of the kinetics and mechanisms of dissolution of carbonate minerals  |     |
| L. Chou (St. Petersburg, Fla., U.S.A., and Brussels, Belgium), R.M. Garrels (St. Petersburg, Fla., U.S.A.) and R.  |     |
| Wollast (Brussels, Belgium)  | 269 |
| Calcite and aragonite precipitation from seawater solutions of various salinities: Precipitation rates and overgrowth compositions                         |     |
| S. Zhong and A. Mucci (Montréal, Qué., Canada)   | 283 |
| Hydrothermal growth of OH-phlogopite single crystals, II. Role of Cr and Ti adsorption on crystal growth rates   |     |
| B.N. Sun and A. Baronnet (Marseilles, France)  | 301 |
| Experimental concentration-time curves for the iron (II) sulphide precipitation process in aqueous solutions and their interpretation                      |     |
| D. Rickard (Cardiff, Great Britain)  | 315 |
| Mechanism of chalcopyrite formation from iron monosulphides in aqueous solutions (<100°C, pH 2-4.5)  |     |
| M. Cowper and D. Rickard (Cardiff, Great Britain)  | 325 |
| Transport coupling of ions: Influence of ion pairing and pH gradient — Application to the study of diagenetic fluxes                                       |     |
| J.P. Simonin, P. Turq, E. Soualhia, G. Michard and J.F. Gaillard (Paris, France)   | 343 |
| Surface reaction versus diffusion control of mineral dissolution and growth rates in geochemical processes   |     |
| W.M. Murphy, E.H. Oelkers and P.C. Lichtner (Berkeley, Calif., U.S.A.)   | 357 |
| Stable-isotope exchange fronts, Damköhler numbers, and fluid to rock ratios  |     |
| P. Blattner and K.R. Lassey (Lower Hutt, New Zealand)  | 381 |
| Contents Volume 78, 1989   | 393 |
|  |     |

